INDEX TO AUTHORS

A

ABUELO, J. G., and MOORE, DOROTHY E. The human chromosome. Electron microscopic observations on chromatin fiber organization, 73

ADAMS, ELEANOR C., and HERTIG, ARTHUR T. Studies on the human corpus luteum. I. Observations on the ultrastructure of development and regression of the luteal cells during the menstrual cycle, 696

— and —. —. II. Observations on the ultrastructure of luteal cells during pregnancy, 716

ADAMS, W. ROBERT. See RAJALAKSHMI, ADAMS, and HANDSCHUMACHER, 625

AMSTERDAM, AVRAHAM, OHAD, ITZHAK, and SCHRAMM, MICHAEL. Dynamic changes in the ultrastructure of the acinar cell of the rat parotid gland during the secretory cycle, 753

ANDERSON, H. CLARKE. Vesicles associated with calcification in the matrix of epiphyseal cartilage, 59

ANDERSON, WINSTON A. See HILL and ANDERSON, 547

ANTON, ELSA. See BRANDES and ANTON, 450

ARNOLD, JOHN M. Cleavage furrow formation in a telolecithal egg (*Loligo paelii*). I. Filaments in early furrow formation, 894

B

BACHMANN, L. See SALPETER, BACHMANN, and SALPETER. 1

BARNARD, E. A. See ROGERS and BARNARD, 686

—. See ROGERS, DARZYNKIEWICZ, SALPETER, OSTROWSKI, and BARNARD, 665

BARTON, R. Investigation of negatively stained plant flagellar microtubules by optical diffraction, 637

BAXANDALL, JANE. See BIBRING and BAXANDALL, 577

BEETHAM, KAREN L. See THOMSON, HABECK, NANCE, and BEETHAM, 312

BELL, MARY. Langerhans granules in fetal keratinocytes, 914

BENNETT, TERENCE. See COBB and BENNETT, 287

BERENDES, HANS D., and BOYD, JAMES B. Structural and functional properties of polytene nuclei isolated from salivary glands of *Drosophila hydei*, 591

BERGSTRAND, ANDERS. See DALLMAN, DALLNER, BERGSTRAND, and ERNSTER, 357

BIBRING, THOMAS, and BAXANDALL, JANE. Immunochemical studies of 22S protein from isolated mitotic apparatus, 577

BISCHOFF, RICHARD, and HOLTZER, HOWARD. Mitosis and the processes of differentiation of myogenic cells in vitro, 188

BOND, HOWARD E. See BOONE, FORD, BOND, STUART, and LORENZ, 378

BOONE, CHARLES W., FORD, LINCOLN E., BOND, HOWARD E., STUART, DONALD C., and LORENZ, DIANNE. Isolation of plasma membrane fragments from HeLa cells, 378

BOTTOMLEY, R. H., TRAINER, A. L., and GRIFFIN, M. J. Enzymatic and chromosomal characterization of HeLa variants, 806

BOWERS, BLAIR, and KORN, EDWARD D. The fine structure of *Acanthamoeba castellanii* (Neff strain). II. Encystment, 786

BOYD, C. A. R., and PARSONS, D. S. The fine structure of the microvilli of isolated brush borders of intestinal epithelial cells, 646

BOYD, JAMES B. See BERENDES and BOYD, 591

BRANDES, DAVID, and ANTON, ELSA. An electron microscopic cytochemical study of macrophages during uterine involution, 450

BROWN, R. M., JR. Observations on the relationship of the Golgi apparatus to wall formation in the marine chrysophycean alga, *Pleurochrysis scherffelii* Pringsheim, 109

BUDD, G. C., and SALPETER, M. M. The distribution of labeled norepinephrine within sympathetic nerve terminals studied with electron microscope radioautography, 21

BURG, MAURICE B. See GRANTHAM, GANOTE, BURG, and ORLOFF, 562

C

CARELL, EDGAR F. Studies on chloroplast development and replication in *Euglena*. I. Vitamin B_{12} and chloroplast replication, 431

CARO, LUCIEN G. A common source of difficulty in high-resolution radioautography, 918

CHOI, B. H. See FLORENTIN, CHOI, LEE, and THOMAS, 641

CLEMENTI, F., and PALADE, G. E. Intestinal capillaries. I. Permeability to peroxidase and ferritin, 33

COBB, J. L. S., and BENNETT, TERENCE. A study of nexuses in visceral smooth muscle, 287

COGGESHALL, RICHARD E. See RUDE, COGGESHALL, and VAN ORDEN, 832

D

DALLMAN, PETER R., DALLNER, GUSTAV, BERGSTRAND, ANDERS, and ERNSTER, LARS. Heterogeneous distribution of enzymes in submicrosomal membrane fragments, 357

DALLNER, GUSTAV. See DALLMAN, DALLNER, BERGSTRAND, and ERNSTER, 357

DANEHOLT, B., and EDSTRÖM, J.-E. The DNA base composition of individual chromosomes and

chromosome segments from *Chironomus tentans*, 620
Darzynkiewicz, Z. See Rogers, Darzynkiewicz, Salpeter, Ostrowski, and Barnard, 665
de Duve, Christian. See Leighton, Poole, Lazarow, and de Duve, 521
—. See Poole, Leighton, and de Duve, 536

E

Edström, J.-E. See Daneholt and Edström, 620
Eiler, John J. See Rooney and Eiler, 145
Eliasson, Eva. See Jagendorf-Elfvin and Eliasson, 905
Elsdale, Tom, and Foley, Robert. Morphogenetic aspects of multilayering in Petri dish cultures of human fetal lung fibroblasts, 298
Erlandson, Robert A. See Tandler, Erlandson, Smith, and Wynder, 477
Ernster, Lars. See Dallman, Dallner, Bergstrand, and Ernster, 357

F

Farber, Emmanuel. See Ohkawa, Vogt, and Farber, 441
—. See Shinozuka and Farber, 280
Fink, C. J. See Howell, Fink, and Lacy, 154
Florendo, Noel T. Ribosome substructure in intact mouse liver cells, 335
Florentin, R. A., Choi, B. H., Lee, K. T., and Thomas, W. A. Stimulation of DNA synthesis and cell division in vitro by serum from cholesterol-fed swine, 641
Foley, Robert. See Elsdale and Foley, 298
Ford, Lincoln E. See Boone, Ford, Bond, Stuart, and Lorenz, 378
Friend, Daniel S. Cytochemical staining of multivesicular body and Golgi vesicles, 269

G

Ganote, Charles E. See Grantham, Ganote, Burg, and Orloff, 562
Gibbins, John R., Tilney, Lewis G., and Porter, Keith R. Microtubules in the formation and development of the primary mesenchyme in *Arbacia punctulata*. I. The distribution of microtubules, 201
—. See Tilney and Gibbins, 227
Goyer, R. A., and Krall, R. Ultrastructural transformation in mitochondria isolated from kidneys of normal and lead-intoxicated rats, 393
Grantham, Jared J., Ganote, Charles E., Burg, Maurice B., and Orloff, Jack. Paths of transtubular water flow in isolated renal collecting tubules, 562
Greider, Marie H., Howell, S. L., and Lacy, P. E. Isolation and properties of secretory granules from rat islets of Langerhans. II. Ultrastructure of the beta granule, 162
Griffin, M. J. See Bottomley, Trainer, and Griffin, 806

H

Habeck, Duane A. See Thomson, Habeck, Nance, and Beetham, 312
Handschumacher, Robert E. See Rajalakshmi, Adams, and Handschumacher, 625
Hertig, Arthur T. See Adams and Hertig, 696, 716
Hill, George C., and Anderson, Winston A. Effects of acriflavine on the mitochondria and kinetoplast of *Crithidia fasciculata*. Correlation of fine structure changes with decreased mitochondrial enzyme activity, 547
Holtzer, Howard. See Bischoff and Holtzer, 188
Howell, S. L., Fink, C. J., and Lacy, P. E. Isolation and properties of secretory granules from rat islets of Langerhans. I. Isolation of a secretory granule fraction, 154
—, Young, D. A., and Lacy, P. E. Isolation and properties of secretory granules from rat islets of Langerhans. III. Studies of the stability of the isolated beta granules, 167
—. See Greider, Howell, and Lacy, 162

J

Jagendorf-Elfvin, Myra, and Eliasson, Eva. Reversible changes in the ultrastructure of Chang liver cell mitochondria following incubation of the cells in a glutamine-deficient medium, 905

K

Kane, R. E., and Stephens, R. E. A comparative study of the isolation of the cortex and the role of the calcium-insoluble protein in several species of sea urchin egg, 133
Kappas, A. See Song, Rubin, Rifkind, and Kappas, 124
Kelley, Carole. Wall projections in the sporophyte and gametophyte of *Sphaerocarpos*, 910
Korn, Edward D. See Bowers and Korn, 786
Krall, R. See Goyer and Krall, 393
Kuehl, Leroy. Effect of various inhibitors on nuclear protein synthesis in rat liver, 660

L

Lacy, P. E. See Greider, Howell, and Lacy, 162
—. See Howell, Fink, and Lacy, 154
—. See Howell, Young, and Lacy, 167
Langer, Glenn A. See Legato and Langer, 401
Lavker, Robert M. Fine structure of mucus granules in rumen epithelium, 657
Lazarow, Paul B. See Leighton, Poole, Lazarow, and de Duve, 521
Lee, K. T. See Florentin, Choi, Lee, and Thomas, 641
Legato, Marianne J., and Langer, Glenn A. The subcellular localization of calcium ion in mammalian myocardium, 401
Leighton, Federico, Poole, Brian, Lazarow, Paul B., and de Duve, Christian. The synthesis and turnover of rat liver peroxisomes. I. Fractionation of peroxisome proteins, 521
—. See Poole, Leighton, and de Duve, 536
Lorenz, Dianne. See Boone, Ford, Bond, Stuart, and Lorenz, 378

M

MALT, R. A. See PRIESTLEY and MALT, 886
MARGRETH, A. See SCHIAFFINO and MARGRETH, 855
MARQUET, EUGENE, and SOBEL, HAROLD JOHN. Crystalline inclusions in the nuclear envelope and granular endoplasmic reticulum of the fish spinal cord, 774
MOORE, DOROTHY E. See ABUELO and MOORE, 73
MOULDER, JOHN E. See ROSENBAUM, MOULDER, and RINGO, 600

N

NANCE, SHARRON L. See THOMSON, HABECK, NANCE, and BEETHAM, 312

O

OHAD, ITZHAK. See AMSTERDAM, OHAD, and SCHRAMM, 753
OHKAWA, KIN-ICHI, VOGT, MOLLY T., and FARBER, EMMANUEL. Unusually high mitochondrial alpha-glycerophosphate dehydrogenase activity in rat brown adipose tissue, 441
OKA, TAKAMI, and SCHIMKE, ROBERT T. Interaction of estrogen and progesterone in chick oviduct development. I. Antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of tubular gland cells, 816
ORLOFF, JACK. See Grantham, GANOTE, BURG, and ORLOFF, 562
OSTROWSKI, K. See ROGERS, DARZYNKIEWICZ, SALPETER, OSTROWSKI, and BARNARD, 665

P

PALADE, G. E. See CLEMENTI and PALADE, 33
PARAKKAL, PAUL F. Involvement of macrophages in collagen resorption, 345
PARSONS, D. S. See BOYD and PARSONS, 646
PENMAN, MARIA. See WILLEMS, PENMAN, and PENMAN, 177
PENMAN, SHELDON. See SIEV, WEINBERG, and PENMAN, 510
—. See WILLEMS, PENMAN, and PENMAN, 177
POOLE, BRIAN, LEIGHTON, FEDERICO, and DE DUVE, CHRISTIAN. The synthesis and turnover of rat liver peroxisomes. II. Turnover of peroxisome proteins, 536
—. See LEIGHTON, POOLE, LAZAROW, and DE DUVE, 521
PORTER, KEITH R. See GIBBINS, TILNEY, and PORTER, 201
PRIESTLEY, G. C., and MALT, R. A. Membrane-bound ribosomes in kidney. Methods of estimation and effect of compensatory renal growth, 886

R

RAJALAKSHMI, SRINIVASAN, ADAMS, W. ROBERT, and HANDSCHUMACHER, ROBERT E. Isolation and characterization of low density structures from orotic acid–induced fatty livers, 625
RAMUS, J. Dimorphic pit connections in the red alga *Pseudogloiophloea*, 340
REYNOLDS, EDWARD S. See SELL and REYNOLDS, 736
RIFKIND, A. B. See SONG, RUBIN, RIFKIND, and KAPPAS, 124
RINGO, DAVID L. See ROSENBAUM, MOULDER, and RINGO, 600
ROBB, JAMES A. Maintenance of imaginal discs of *Drosophila melanogaster* in chemically defined media, 876
ROBINSON, PETER M. A cholinergic component in the innervation of the longitudinal smooth muscle of the guinea-pig vas deferens. The fine structural localization of acetylcholinesterase, 462
ROGERS, A. W., and BARNARD, E. A. Quantitative studies on enzymes in structures in striated muscles by labeled inhibitor methods. II. Confirmation of radioautographic measurements by liquid-scintillation counting, 686
—, DARZYNKIEWICZ, Z., SALPETER, M. M., OSTROWSKI, K., and BARNARD, E. A. Quantitative studies on enzymes in structures in striated muscles by labeled inhibitor methods. I. The number of acetylcholinesterase molecules and of other DFP-reactive sites at motor endplates, measured by radioautography, 665
ROONEY, DAVID W., and EILER, JOHN J. Effects of division-synchronizing hypoxic and hyperthermic shocks upon *Tetrahymena* respiration and intracellular ATP concentration, 145
ROSENBAUM, JOEL L., MOULDER, JOHN E., and RINGO, DAVID L. Flagellar elongation and shortening in *Chlamydomonas*. The use of cycloheximide and colchicine to study the synthesis and assembly of flagellar proteins, 600
RUBIN, W. See SONG, RUBIN, RIFKIND, and KAPPAS, 124
RUDE, SONIA, COGGESHALL, RICHARD E., and VAN ORDEN, LUCAS S., 3RD. Chemical and ultrastructural identification of 5-hydroxytryptamine in an identified neuron, 832

S

SALPETER, E. E. See SALPETER, BACHMANN, and SALPETER, 1
SALPETER, M. M., BACHMANN, L., and SALPETER, E. E. Resolution in electron microscope radioautography, 1
—. See BUDD and SALPETER, 21
—. See ROGERS, DARZYNKIEWICZ, SALPETER, OSTROWSKI, and BARNARD, 665
SCHIAFFINO, S., and MARGRETH, A. Coordinated development of the SR and T system during postnatal differentiation of rat skeletal muscle, 855
SCHIMKE, ROBERT T. See OKA and SCHIMKE, 816
SCHRAMM, MICHAEL. See AMSTERDAM, OHAD, and SCHRAMM, 753
SELL, DAVID A., and REYNOLDS, EDWARD S. Liver parenchymal cell injury. VIII. Lesions of membranous cellular components following iodoform, 736
SHINOZUKA, HISASHI, and FARBER, EMMANUEL. Reformation of nucleoli after ethionine-induced fragmentation in the absence of significant protein synthesis, 280

SIEV, MOSHE, WEINBERG, ROBERT, and PENMAN, SHELDON. The selective interruption of nucleolar RNA synthesis in HeLa cells by cordycepin, 510
SMITH, ARCHIE L. See TANDLER, ERLANDSON, SMITH, and WYNDER, 477
SOBEL, HAROLD JOHN. See MARQUET and SOBEL, 774
SOLARI, ALBERTO J. See TANDLER and SOLARI, 91
SONG, C. S., RUBIN, W., RIFKIND, A. B., and KAPPAS, A. Plasma membranes of the rat liver. Isolation and enzymatic characterization of a fraction rich in bile canaliculi, 124
STEPHENS, R. E. See KANE and STEPHENS, 133
STUART, DONALD C. See BOONE, FORD, BOND, STUART, and LORENZ, 378

T

TANAKA, YASUKAZU. Effect of the ruby laser microbeam on mitochondria of KB cells supravitally stained by pinocyanol, 424
TANDLER, BERNARD, ERLANDSON, ROBERT A., SMITH, ARCHIE L., and WYNDER, ERNEST L. Riboflavin and mouse hepatic cell structure and function. II. Division of mitochondria during recovery from simple deficiency, 477
TANDLER, CARLOS J., and SOLARI, ALBERTO J. Nucleolar orthophosphate ions. Electron microscope and diffraction studies, 91
THOMAS, W. A. See FLORENTIN, CHOI, LEE, and THOMAS, 641
THOMSON, JOHN F., HABECK, DUANE A., NANCE, SHARRON L., and BEETHAM, KAREN L. Ultrastructural and biochemical changes in brown fat in cold-exposed rats, 312
TILNEY, LEWIS G., and GIBBINS, JOHN R. Microtubules in the formation and development of the primary mesenchyme of *Arbacia punctulata*. II. An experimental analysis of their role in the development and maintenance of cell shape, 227
TILNEY, LEWIS G. See GIBBINS, TILNEY, and PORTER, 201
TRAINER, A. L. See BOTTOMLEY, TRAINER, and GRIFFIN, 806
TRIER, JERRY S. See TROUGHTON and TRIER, 251
TROUGHTON, W. DAVID, and TRIER, JERRY S. Paneth and goblet cell renewal in mouse duodenal crypts, 251

V

VAN ORDEN, LUCAS S., 3RD. See RUDE, COGGESHALL, and VAN ORDEN, 832
VOGT, MOLLY T. See OHKAWA, VOGT, and FARBER, 441

W

WARSHAW, JOSEPH B. Cellular energy metabolism during fetal development. I. Oxidative phosphorylation in the fetal heart, 651
WEINBERG, ROBERT. See SIEV, WEINBERG, and PENMAN, 510
WILLEMS, MARGHERITA, PENMAN, MARIA, and PENMAN, SHELDON. The regulation of RNA synthesis and processing in the nucleolus during inhibition of protein synthesis, 177
WYNDER, ERNEST L. See TANDLER, ERLANDSON, SMITH, and WYNDER, 477

Y

YOUNG, D. A. See HOWELL, YOUNG, and LACY, 167

Z

ZALOKAR, MARKO. Intracellular centrifugal separation of organelles in *Phycomyces*, 494

INDEX TO SUBJECTS

A

Acetylcholinesterase, fine structural localization of in longitudinal smooth muscle of vas deferens of guinea pig, cytochemical EM study, 462

Acinar cell, of parotid gland, of rat, dynamic changes in ultrastructure of during secretory cycle, light and EM study, 753

Acriflavine, effects of on mitochondria and kinetoplast of *Crithidia fasciculata*, correlation of fine structure changes with decreased mitochondrial enzyme activity, biochemical and radioautographic and EM study, 547

Adipose tissue, brown, of rat, unusually high alpha-glycerophosphate dehydrogenase activity in mitochondria of, histochemical and biochemical study, 441

Alga, *Euglena gracilis*, chloroplast development and replication and role of vitamin B_{12} in, biochemical and fluorescent microscopic study, 431

—, marine chrysophycean *Pleurochrysis scherffelii*, relationship of Golgi apparatus to wall formation in, time-lapse cinephotomicrographic and light and EM study, 109

—, red, *Pseudogloiophloea*, dimorphic pit connections in, light and EM study, 340

ATP, intracellular concentration, and respiration, of *Tetrahymena pyriformis*, effects of division-synchronizing hypoxic and hyperthermic shocks on, biochemical study, 145

B

Bile canaliculi, isolation and enzymatic characterization of plasma membrane fraction rich in, of rat liver, biochemical and EM study, 124

Blood lymphocyte, of human, organization of chromatin fiber in chromosome of, EM study, 73

Brown fat, of cold-exposed rat, ultrastructural and biochemical changes in, biochemical and EM study, 312

Brush borders, isolated, of intestinal epithelial cells of pigeon, fine structure of microvilli of, EM study, 646

C

Calcification, in matrix of epiphyseal cartilage, of mouse, vesicles associated with, electron diffraction and light and EM study, 59

Calcium ion, subcellular localization of in dog myocardium, EM study, 401

Calcium-insoluble protein, and isolation of cortex, comparative study of in several species of sea urchin eggs, biochemical and light and EM study, 133

Canaliculi, bile, in plasma membrane fraction of rat liver, isolation and enzymatic characterization of, biochemical and EM study, 124

Capillaries, blood, of intestinal mucosa of mouse, permeability of to peroxidase and ferritin, biochemical and histochemical and EM study, 33

Cartilage, of mouse epiphyseal plate, vesicles associated with calcification in matrix of, electron diffraction and light and EM study, 59

Cell, acinar, of parotid gland, of rat, dynamic changes in ultrastructure of during secretory cycle, light and EM study, 753

— division, and DNA synthesis, stimulation of in vitro by serum from cholesterol-fed swine, radioautographic and light and EM study, 641

—, parenchymal, of rat liver, lesions of in iodoform poisoning, biochemical and histochemical and light and EM study, 736

— shape, of primary mesenchyme of *Arbacia punctulata*, role of microtubules in development and maintenance of, light and EM study, 227

— wall, and cytoplasmic changes, of *Acanthamoeba castellanii*, fine structure of during encystment, biochemical and EM study, 786

Cells, epithelial, of pigeon intestine, fine structure of microvilli of isolated brush borders of, EM study, 646

—, goblet and Paneth, renewal of in mouse duodenal crypts, radioautographic light and EM study, 251

—, HeLa, enzymatic and chromosomal characterization of variants of, biochemical and histological study, 806

—, HeLa, isolation of plasma membrane fragments from, biochemical and EM study, 378

—, HeLa, regulation of RNA synthesis and processing in nucleolus of during inhibition of protein synthesis, biochemical study, 177

—, HeLa, selective interruption of nucleolar RNA synthesis in by cordycepin (3′deoxyadenosine), biochemical study, 510

—, KB, supravitally stained by pinocyanol, effect of ruby laser microbeam on mitochondria of, EM study, 424

—, liver, Chang, reversible changes in ultrastructure of mitochondria following incubation in glutamine-deficient medium, EM study, 905

—, liver, of mouse, division of mitochondria of during recovery from riboflavin deficiency, biochemical and EM study, 477

—, luteal, of human corpus luteum, ultrastructure of development and regression of during menstrual cycle, EM study, 696

Cells, luteal, of human corpus luteum, ultrastructure of during pregnancy, EM study, 716
—, of chick skeletal muscle, mitosis and processes of differentiation in, in vitro cytological and radioautographic study, 188
—, of mouse liver, ribosome substructure in, EM study, 335
—, of primary mesenchyme, of sea urchin *Arbacia punctulata*, distribution of microtubules in formation and development of, light and EM study, 201
—, of smooth muscle of viscera of chick, pigeon, mouse, and guinea pig, nexuses in, EM study, 287
—, sperm, of *Pteridium*, flagellar microtubules in, optical diffraction study, 637
—, tubular gland, of chick oviduct, antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of, biochemical and immunological and histological study, 816
Cellular energy metabolism during fetal development, oxidative phosphorylation in heart of fetal cow and chicken, biochemical and EM study, 651
Chang liver cells, reversible changes in ultrastructure of mitochondria following incubation in glutamine-deficient medium, EM study, 905
Chick, oviduct, antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of tubular gland cells of, biochemical and immunological and histological study, 816
— and pigeon gizzard, mouse and guinea pig vas deferens, guinea pig taenia coli, nexuses in smooth muscle cells of, EM study, 287
—, skeletal muscle, mitosis and processes of differentiation of myogenic cells in, in vitro cytological and radioautographic study, 188
Chicken and cow, embryo, cellular energy metabolism during fetal development, oxidative phosphorylation in heart of, biochemical and EM study, 651
Chloroplast development and replication, in *Euglena gracilis*, role of vitamin B_{12} in, biochemical and fluorescent microscopic study, 431
Cholesterol-fed swine, stimulation of DNA synthesis and cell division in vitro by serum from, radioautographic and light and EM study, 641
Cholinergic component, in innervation of longitudinal smooth muscle of guinea pig vas deferens, fine structural localization of acetylcholinesterase, cytochemical EM study, 462
Chromatin fiber, of chromosome from human lymphocyte, organization of, EM study, 73
Chromosomes, and enzymes, of HeLa variants, characterization of, biochemical and histological study, 806
—, individual, and chromosome segments, from *Chironomus tentans*, DNA base composition of, biochemical and statistical study, 620
—, of human lymphocyte, organization of chromatin fiber of, EM study, 73
Cleavage furrow formation, in telolecithal egg of squid *Loligo pealii*, filaments in, EM study, 894
Colchicine, and cycloheximide, use of to study synthesis and assembly of flagellar proteins in *Chlamydomonas*, flagellar elongation and shortening, biochemical and radioautographic and EM study, 600
Collagen resorption, involvement of macrophages in, in mouse uterus, light and EM study, 345
Collecting tubules, isolated from rabbit kidney, paths of transtubular water flow in, physiological and light and EM study, 562
Connections, pit, dimorphic, in red alga *Pseudogloiophloea*, light and EM study, 340
Cordycepin (3′ deoxyadenosine), selective interruption by of nucleolar RNA synthesis in HeLa cells, biochemical study, 510
Corpus luteum, of human, ultrastructure of development and regression of luteal cells of during menstrual cycle, EM study, 696
— luteum, of human, ultrastructure of luteal cells of during pregnancy, EM study, 716
Cortex, isolation of, and role of calcium-insoluble protein, comparative study of in several species of sea urchin eggs, biochemical and light and EM study, 133
Cow and chicken, embryo, cellular energy metabolism during fetal development, oxidative phosphorylation in heart of, biochemical and EM study, 651
Crypts, of mouse duodenum, Paneth and goblet cell renewal in, radioautographic light and EM study, 251
Cycloheximide, and colchicine, use of to study synthesis and assembly of flagellar proteins in *Chlamydomonas*, flagellar elongation and shortening, biochemical and radioautographic and EM study, 600
Cytoplasmic changes, and cell wall, of *Acanthamoeba castellanii*, fine structure of during encystment, biochemical and EM study, 786

D

DFP (diisopropylfluorophosphate)-reactive sites, and acetylcholinesterase molecules, number of at motor endplates of mouse striated muscle, biochemical and radioautographic and EM study, 665
Disc, imaginal, of *Drosophila melanogaster*, maintenance of in chemically defined media, biochemical study, 876
Division-synchronizing hypoxic and hyperthermic shocks, effects of on respiration and intracellular ATP concentration of *Tetrahymena pyriformis*, biochemical study, 145
DNA base composition, of individual chromosomes and chromosome segments from *Chironomus tentans*, biochemical and statistical study, 620
— synthesis, and cell division, stimulation of in vitro by serum from cholesterol-fed swine, radioautographic and light and EM study, 641
Dog, myocardium, subcellular localization of calcium ion in, EM study, 401
Duodenum, of mouse, Paneth and goblet cell renewal in crypts of, radioautographic light and EM study, 251

E

Egg, telolecithal, of squid *Loligo pealii*, filaments in early cleavage furrow formation in, EM study, 894

Eggs, of several sea urchin species, comparative study of isolation of cortex and role of calcium-insoluble protein in, biochemical and light and EM study, 133

Electron microscope radioautography, resolution in, mathematical and EM study, 1

Embryo, cow and chicken, cellular energy metabolism during fetal development, oxidative phosphorylation in heart of, biochemical and EM study, 651

Emulsion, Ilford L-4, inhomogeneity of, common source of difficulty in high-resolution radioautography, standard procedure for preparation of, 918

Encystment, of *Acanthamoeba castellanii*, fine structure of cell wall and cytoplasmic changes during, biochemical and EM study, 786

Endoplasmic reticulum, granular, and nuclear envelope, of fish spinal cord, crystalline inclusions in, EM study, 774

Endplates, motor, of mouse striated muscle, number of acetylcholinesterase molecules and other DFP-reactive sites at, biochemical and radioautographic and EM study, 665

Enzyme, acetylcholinesterase, at motor endplates of mouse striated muscle, confirmation of radioautographic measurements of by liquid-scintillation counting, biochemical study, 686

—, acetylcholinesterase, fine structural localization of in longitudinal smooth muscle of vas deferens of guinea pig, cytochemical EM study, 462

— activity, of mitochondria and kinetoplast of *Crithidia fasciculata*, effects of acriflavine on, correlation of with fine structural changes, biochemical and radioautographic and EM study, 547

—, alpha-glycerophosphate dehydrogenase, unusually high activity of in mitochondria of rat brown adipose tissue, histochemical and biochemical study, 441

Enzymes, acetylcholinesterase and other DFP-reactive sites, at motor endplates of mouse striated muscle, biochemical and radioautographic and EM study, 665

—, alkaline phosphatase, glucose-6-phosphate dehydrogenase, 6-phosphogluconic dehydrogenase, and lactic dehydrogenase, and chromosomes, characterization of, of HeLa variants, biochemical and histological study, 806

—, NADH-ferricyanide, NADH- and NADPH-cytochrome *c* reductase, lipid peroxidase, glucose-6-phosphatase, cytochromes *b5* and P-450, heterogeneous distribution of in submicrosomal membrane fragments of rat liver, biochemical and EM study, 357

Epidermis, of 76-day fetus and adult rhesus monkey, Langerhans granules in keratinocytes of, EM study, 914

Epididymis, of rat, multivesicular body and Golgi vesicles of, cytochemical EM study, 269

Epiphyseal plate, of mouse, vesicles associated with calcification in matrix of cartilage of, electron diffraction and light and EM study, 59

Epithelial cells, intestinal, of pigeon, fine structure of microvilli of isolated brush borders of, EM study, 646

Epithelium, of sheep rumen, fine structure of mucus granules in, EM study, 657

Estrogen-induced proliferation and differentiation of tubular gland cells of chick oviduct, antagonistic effect of progesterone on, biochemical and immunological and histological study, 816

Ethionine-induced fragmentation, of rat liver nucleoli, reformation in absence of significant protein synthesis, biochemical and EM study, 280

F

Fat, brown, of cold-exposed rat, ultrastructural and biochemical changes in, biochemical and EM study, 312

Fatty liver, of rat, induced by orotic acid, isolation and characterization of low-density structures from, biochemical and EM study, 625

Ferritin, and peroxidase, permeability of intestinal blood capillaries of mouse to, biochemical and histochemical and EM study, 33

Fetal lung fibroblasts, of human, morphogenetic aspects of multilayering in Petri dish cultures of, biochemical and time-lapse photography and light microscopic study, 298

Fetus, 76-day, and adult rhesus monkey, epidermis, Langerhans granules in keratinocytes of, EM study, 914

Fiber, chromatin, of chromosome from human lymphocyte, organization of, EM study, 73

Fibroblasts, of human fetal lung, morphogenetic aspects of multilayering in Petri dish cultures of, biochemical and time-lapse photography and light microscopic study, 298

Filaments, in early cleavage furrow formation in telolecithal egg of squid *Loligo pealii*, EM study, 894

Fish, lungfish *Polypterus enlicheri* and guppy *Poecilia reticulata*, crystalline inclusions in nuclear envelope and granular endoplasmic reticulum of spinal cord of, EM study, 774

Flagella, of *Chlamydomonas*, elongation and shortening of, use of cycloheximide and colchicine to study synthesis and assembly of proteins of, biochemical and radioautographic and EM study, 600

—, and *Pteridium* sperm cells, microtubules of, optical diffraction study, 637

Fungus, *Phycomyces blakesleeanus*, intracellular centrifugal separation of organelles in sporangiophores of, cytochemical and EM study, 494

Furrow formation, first cleavage, in telolecithal egg of squid *Loligo pealii*, filaments in, EM study, 894

G

Gametophyte, and sporophyte, of *Sphaerocarpos*, wall projections in, EM study, 910

Gland, parotid, of rat, dynamic changes in ultrastructure of acinar cell of during secretory cycle, light and EM study, 753

Glutamine-deficient medium, reversible changes in ultrastructure of Chang liver cell mitochondria following incubation in, EM study, 905
Goblet and Paneth cell renewal, in mouse duodenal crypts, radioautographic light and EM study, 251
Golgi apparatus, of marine chrysophycean alga *Pleurochrysis scherffelii*, relationship of to wall formation, time-lapse cinephotomicrographic and light and EM study, 109
— vesicles, and multivesicular body, of rat epididymis, cytochemical EM study, 269
Granules, beta, isolated from islets of Langerhans of rat pancreas, in vitro stability of, biochemical and EM study, 167
—, Langerhans, in keratinocytes of epidermis of fetal and adult rhesus monkey, EM study, 914
—, mucus, fine structure of in epithelium of sheep rumen, EM study, 657
—, secretory, from islets of Langerhans of rat pancreas, isolation of, biochemical and immunological and EM study, 154
—, secretory, from islets of Langerhans of rat pancreas, isolation and properties of, ultrastructure of beta granule, EM study, 162
Guinea pig taenia coli, and mouse vas deferens, chick and pigeon gizzard, nexuses in smooth muscle cells of, EM study, 287
—, vas deferens, cholinergic component in innervation of longitudinal smooth muscle of, fine structural localization of acetylcholinesterase, cytochemical EM study, 462

H

HeLa cell variants, enzymatic and chromosomal characterization of, biochemical and histological study, 806
— cells, isolation of plasma membrane fragments from, biochemical and EM study, 373
— cells, regulation of RNA synthesis and processing in nucleolus of during inhibition of protein synthesis, biochemical study, 177
— cells, selective interruption of nucleolar RNA synthesis in by cordycepin (3′deoxyadenosine), biochemical study, 510
High-resolution radioautography, common source of difficulty, inhomogeneity of Ilford L-4 emulsion, standard procedure for preparation of, 918
Human, blood lymphocyte, organization of chromatin fiber in chromosome of, EM study, 73
—, corpus luteum, ultrastructure of development and regression of luteal cells of during menstrual cycle, EM study, 696
—, corpus luteum, ultrastructure of luteal cells of during pregnancy, EM study, 716
—, fetal lung fibroblasts, morphogenetic aspects of multilayering in Petri dish cultures of, biochemical and time-lapse photography and light microscopic study, 298
5-Hydroxytryptamine, chemical and ultrastructural identification of in ventral ganglia of leech, histochemical and microspectrofluorometric and biochemical and EM study, 832

I

Ilford L-4 emulsion, inhomogeneity of, common source of difficulty in high-resolution radioautography, standard procedure for preparation of, 918
Imaginal disc, of *Drosophila melanogaster*, maintenance of in chemically defined media, biochemical study, 876
Inclusions, crystalline, in nuclear envelope and granular endoplasmic reticulum of spinal cord of lungfish *Polypterus enlicheri* and guppy *Poecilia reticulata*, EM study, 774
Inhibitors of protein synthesis, actinomycin D, chloramphenicol, streptomycin, cycloheximide, puromycin, and thioacetamide, effect of on nucleus of rat liver cells, biochemical study, 660
Insect, *Chironomus tentans*, DNA base composition of individual chromosomes and chromosome segments from, biochemical and statistical study, 620
—, *Drosophila hydei*, structural and functional properties of polytene nuclei isolated from salivary glands of, biochemical and cytological and radioautographic light and EM study, 591
—, *Drosophila melanogaster*, maintenance of imaginal discs of in chemically defined media, biochemical study, 876
Intestinal mucosa, of mouse, permeability of blood capillaries of to peroxidase and ferritin, biochemical and histochemical and EM study, 33
Intestine, of pigeon, fine structure of microvilli of isolated brush borders of epithelial cells of, EM study, 646
Iodoform poisoning, lesions of rat liver parenchymal cells following, biochemical and histochemical and light and EM study, 736
Islets of Langerhans, of rat pancreas, in vitro stability of beta granules isolated from, biochemical and EM study, 167
— of Langerhans, of rat pancreas, isolation and properties of secretory granules from, ultrastructure of beta granule, EM study, 162
— of Langerhans, of rat pancreas, isolation of secretory granule fraction from, biochemical and immunological and EM study, 154

K

KB cells, supravitally stained by pinocyanol, effect of ruby laser microbeam on mitochondria of, EM study, 424
Keratinocytes, of epidermis of fetal and adult rhesus monkey, Langerhans granules in, EM study, 914
Kidney, of mouse, membrane-bound ribosomes in, methods of estimation and effect of compensatory renal growth, biochemical study, 886
—, of rabbit, paths of transtubular water flow in isolated collecting tubules of, physiological and light and EM study, 562
Kidneys, of normal and lead-intoxicated rats, ultrastructural transformation in mitochondria isolated from, biochemical and EM study, 393
Kinetoplast, and mitochondria, of *Crithidia fasciculata*, correlation of fine structure changes with decreased

mitochondrial enzyme activity, biochemical and radioautographic and EM study, 547

L

Langerhans granules, in keratinocytes of epidermis of fetal and adult rhesus monkey, EM study, 914
Laser microbeam, ruby, effect of on mitochondria of KB cells supravitally stained by pinocyanol, EM study, 424
Lead-intoxicated and normal rats, ultrastructural transformation in mitochondria isolated from kidneys of, biochemical and EM study, 393
Lead orthophosphate, in nucleoli of maize and onion bulb root tips and rat liver, electron and X-ray diffraction and light and EM study, 91
Leech, *Hirudo medicinalis*, ventral ganglia, chemical and ultrastructural identification of 5-hydroxytryptamine in, histochemical and microspectrofluorometric and biochemical and EM study, 832
Lesions, of rat liver parenchymal cells, in iodoform poisoning, biochemical and histochemical and light and EM study, 736
Liver cells, Chang, reversible changes in ultrastructure of mitochondria following incubation in glutamine-deficient medium, EM study, 905
— cells, of mouse, division of mitochondria of during recovery from riboflavin deficiency, biochemical and EM study, 477
—, fatty, of rat, induced by orotic acid, isolation and characterization of low-density structures from, biochemical and EM study, 625
—, of mouse, ribosome substructure in intact cells of, EM study, 335
—, of rat, effect of various inhibitors on nuclear protein synthesis in, biochemical study, 660
—, of rat, fractionation of proteins from peroxisomes of, biochemical study, 521
—, of rat, heterogeneous distribution of enzymes in submicrosomal membrane fractions of, biochemical and EM study, 357
—, of rat, isolation and enzymatic characterization of plasma membrane fraction rich in bile canaliculi, biochemical and EM study, 124
—, of rat, lesions of membranous cellular components of following iodoform, biochemical and histochemical and light and EM study, 736
—, of rat, and maize and onion bulb root tips, lead orthophosphate in nucleoli of, electron and X-ray diffraction and light and EM study, 91
—, of rat, reformation of nucleoli of after ethionine-induced fragmentation in absence of significant protein synthesis, biochemical and EM study, 280
—, of rat, turnover of proteins from peroxisomes of, biochemical and immunological study, 536
Low-density structures, isolation and characterization of from orotic acid–induced fatty liver of rat, biochemical and EM study, 625
Lung fibroblasts, of human fetus, morphogenetic aspects of multilayering in Petri dish cultures of, biochemical and time-lapse photography and light microscopic study, 298
Luteal cells, of human corpus luteum, ultrastructure of development and regression of during menstrual cycle, EM study, 696
Luteal cells, of human corpus luteum, ultrastructure of during pregnancy, EM study, 716
Lymphocyte, blood, of human, organization of chromatin fiber in chromosome of, EM study, 73

M

Macrophages during postpartum involution of rat uterus, cytochemical light and EM study, 450
—, involvement of in collagen resorption, in mouse uterus, light and EM study, 345
Matrix, of epiphyseal cartilage, of mouse, vesicles associated with calcification in, electron diffraction and light and EM study, 59
Media, chemically defined, maintenance of imaginal discs of *Drosophila melanogaster* in, biochemical study, 876
Membrane-bound ribosomes, in kidney of mouse, methods of estimation and effect of compensatory renal growth, biochemical study, 886
Membrane fragments, of rat liver microsomes, heterogeneous distribution of enzymes in, biochemical and EM study, 357
—, plasma, of HeLa cells, isolation of fragments of, biochemical and EM study, 378
Menstrual cycle, ultrastructure of development and regression of luteal cells of human corpus luteum during, EM study, 696
Mesenchyme, primary, of *Arbacia punctulata*, distribution of microtubules in formation and development of, light and EM study, 201
—, primary, of *Arbacia punctulata*, role of microtubules in development and maintenance of cell shape of, light and EM study, 227
Microsomes, rough, of rat liver, heterogeneous distribution of enzymes in, biochemical and EM study, 357
Microtubules, distribution of in formation and development of primary mesenchyme in *Arbacia punctulata*, light and EM study, 201
—, of flagella of *Pteridium* sperm cells, optical diffraction study, 637
—, role of in development and maintenance of cell shape of primary mesenchyme of *Arbacia punctulata*, light and EM study, 227
Microvilli, of isolated brush borders of intestinal epithelial cells, of pigeon, EM study, 646
Mitochondria, isolated from kidneys of normal and lead-intoxicated rats, ultrastructural transformation in, biochemical and EM study, 393
—, and kinetoplast, of *Crithidia fasciculata*, effects of acriflavine on, correlation of fine structure changes with decreased mitochondrial enzyme activity, biochemical and radioautographic and EM study, 547
—, of brown adipose tissue of rat, unusually high activity of alpha-glycerophosphate dehydrogenase in, histochemical and biochemical study, 441
—, of Chang liver cells, reversible changes in ultrastructure of following incubation in glutamine-deficient medium, EM study, 905

Mitochondria, of KB cells supravitally stained by pinocyanol,effect of ruby laser microbeam on, EM study, 424
—, of liver cells, of mouse, division of during recovery from riboflavin deficiency, biochemical and EM study, 477
Mitosis, and processes of differentiation, of myogenic cells, of chick skeletal muscle, in vitro cytological and radioautographic study, 188
Mitotic apparatus, isolated from sea urchin *Strongylocentrotus purpuratus*, analysis of "22S protein" from, immunochemical and light and EM study, 577
Monkey, rhesus, 76-day fetus and adult, epidermis, Langerhans granules in keratinocytes of, EM study, 814
Mouse, blood capillaries of intestinal mucosa, permeability of to peroxidase and ferritin, biochemical and histochemical and EM study, 33
—, duodenum, Paneth and goblet cell renewal in crypts of, radioautographic light and EM study, 251
—, epiphyseal plate, vesicles associated with calcification in matrix of cartilage of, electron diffraction and light and EM study, 59
— and guinea pig vas deferens, chick and pigeon gizzard, guinea pig taenia coli, nexuses in smooth muscle cells of, EM study, 287
—, kidney, membrane-bound ribosomes in, methods of estimation and effect of compensatory renal growth, biochemical study, 886
—, liver cells, division of mitochondria of during recovery from riboflavin deficiency, biochemical and EM study, 477
—, liver, ribosome substructure in intact cells of, EM study, 335
—, striated muscle, confirmation of radioautographic measurements of enzymes in by liquid scintillation counting, biochemical study, 686
—, striated muscle, number of acetylcholinesterase molecules and other DFP-reactive sites at motor endplates of, biochemical and radioautographic and EM study, 665
—, sympathetic nerve terminals, distribution of labeled norepinephrine in, radioautographic EM study, 21
—, uterus, involvement of macrophages in collagen resorption in, light and EM study, 345
Mucus granules, fine structure of in epithelium of sheep rumen, EM study, 657
Multilayering, in Petri dish cultures, of human fetal lung fibroblasts, morphogenetic aspects of, biochemical and time-lapse photography and light microscopic study, 298
Multivesicular body, and Golgi vesicles, of rat epididymis, cytochemical EM study, 269
Muscle, cardiac, of dog, subcellular localization of calcium ion in, EM study, 401
—, skeletal, of chick, mitosis and processes of differentiation of myogenic cells in, in vitro cytological and radioautographic study, 188
—, skeletal, of rat, coordinated development of SR and T system during postnatal differentiation of, EM study, 855
—, smooth, of vas deferens of guinea pig, cholinergic component in innervation of, fine structural localization of acetylcholinesterase, cytochemical EM study, 462
Muscle, smooth, of viscera of chick, pigeon, mouse, and guinea pig, nexuses in cells of, EM study, 287
—, striated, of mouse, confirmation of radioautographic measurements of enzymes in by liquid scintillation counting, biochemical study, 686
—, striated, of mouse, number of acetylcholinesterase molecules and other DFP-reactive sites at motor endplates of, biochemical and radioautographic and EM study, 665

N

Nerve, sympathetic, of mouse, distribution of labeled norepinephrine in terminals of, radioautographic EM study, 21
Neuron, ventral ganglia, of leech, chemical and ultrastructural identification of 5-hydroxytryptamine in, histochemical and microspectrofluorometric and biochemical and EM study, 832
Nexuses, in smooth muscle cells of viscera of chick, pigeon, mouse and guinea pig, EM study, 287
Norepinephrine, distribution of in sympathetic nerve terminals of mouse, radioautographic EM study, 21
Nuclear envelope, and granular endoplasmic reticulum, of fish spinal cord, crystalline inclusions in, EM study, 774
Nuclei, polytene, isolated from salivary glands of *Drosophila hydei*, structural and functional properties of, biochemical and cytochemical and radioautographic light and EM study, 591
Nucleoli, of HeLa cells, selective interruption of RNA synthesis in by cordycepin (3′deoxyadenosine), biochemical study, 510
—, of maize and onion bulb root tips and rat liver, lead orthophosphate in, electron and X-ray diffraction and light and EM study, 91
—, of rat liver, reformation of after ethionine-induced fragmentation in absence of significant protein synthesis, biochemical and EM study, 280
Nucleolus, of HeLa cell, regulation of RNA synthesis and processing in during inhibition of protein synthesis, biochemical study, 177
Nucleus, of rat liver cells, effect of various inhibitors on protein synthesis of, biochemical study, 660

O

Organelles, in sporangiophores of *Phycomyces*, intracellular centrifugal separation of, cytochemical and EM study, 494
Orotic acid–induced fatty liver, of rat, isolation and characterization of low-density structure from, biochemical and EM study, 625
Oviduct, of chick, antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of tubular gland cells of, biochemical and immunological and histological study, 816
Oxidative phosphorylation, in heart of fetal cow and chicken, biochemical and EM study, 651

P

Pancreas, of rat, in vitro stability of beta granules isolated from islets of Langerhans of, biochemical and EM study, 167
—, of rat, isolation of secretory granule fraction from islets of Langerhans of, biochemical and immunological and EM study, 154
—, of rat, isolation and properties of secretory granules from islets of Langerhans of, ultrastructure of beta granule, EM study, 162
Paneth and goblet cell renewal, in mouse duodenal crypts, radioautographic light and EM study, 251
Parenchymal cell, of rat liver, lesions of in iodoform poisoning, biochemical and histochemical and light and EM study, 736
Parotid gland, of rat, dynamic changes in ultrastructure of acinar cell of during secretory cycle, light and EM study, 753
Peroxidase (horseradish) and ferritin, permeability of intestinal blood capillaries of mouse to, biochemical and histochemical and EM study, 33
Peroxisomes, of rat liver, fractionation of proteins from, biochemical study, 521
—, of rat liver, turnover of proteins from, biochemical and immunological study, 536
Pigeon and chick gizzard, mouse and guinea pig vas deferens, guinea pig taenia coli, nexuses in smooth muscle cells of, EM study, 287
—, intestinal epithelial cells, fine structure of microvilli of isolated brush borders of, EM study, 646
Pinocyanol, effect of ruby laser microbeam on mitochondria of KB cells supravitally stained by, EM study, 424
Pit connections, dimorphic, in red alga *Pseudogloiophloea*, light and EM study, 340
Plant, liverwort *Sphaerocarpos donnellii*, wall projections in sporophyte and gametophyte of, EM study, 910
—, maize and onion bulb root tips, and rat liver, lead orthophosphate in nucleoli of, electron and X-ray diffraction and light and EM study, 91
—, *Pteridium*, sperm cells, flagellar microtubules of, optical diffraction study, 637
Plasma membrane, of HeLa cells, isolation of fragments of, biochemical and EM study, 378
—, membrane, of rat liver, isolation and enzymatic characterization of fraction rich in bile canaliculi, biochemical and EM study, 124
Pores, large and small, in blood capillaries of intestinal mucosa of mouse, permeability of to peroxidase and ferritin, biochemical and histochemical and EM study, 33
Postnatal differentiation, of rat skeletal muscle, coordinated development of SR and T system during, EM study, 855
Pregnancy, human, ultrastructure of luteal cells of corpus luteum during, EM study, 716
Progesterone, antagonistic effect of on estrogen-induced proliferation and differentiation of tubular gland cells of chick oviduct, biochemical and immunological and histological study, 816
Protein, calcium insoluble, and isolation of cortex, comparative study of in several species of sea urchin eggs, biochemical and light and EM study, 133
Protein, "22S," analysis of from isolated mitotic apparatus of sea urchin *Strongylocentrotus purpuratus*, immunochemical and light and EM study, 577
— synthesis, in nucleus of rat liver cells, effect of various inhibitors on, biochemical study, 660
— synthesis, reformation of rat liver nucleoli after ethionine-induced fragmentation in absence of, biochemical and EM study, 280
— synthesis, regulation of RNA synthesis and processing in nucleolus of HeLa cell during inhibition of, biochemical study, 177
Proteins, in flagella of *Chlamydomonas*, use of cycloheximide and colchicine to study synthesis and assembly of, flagellar elongation and shortening, biochemical and radioautographic and EM study, 600
—, of rat liver peroxisomes, fractionation of, biochemical study, 521
—, of rat liver peroxisomes, turnover of, biochemical and immunological study, 536
Protozoan, *Acanthamoeba castellanii*, fine structure of encysting cells of, biochemical and EM study, 786
—, *Chlamydomonas reinhardi*, flagellar elongation and shortening in, use of cycloheximide and colchicine to study synthesis and assembly of flagellar proteins, biochemical and radioautographic and EM study, 600
—, *Tetrahymena pyriformis*, effects of division-synchronizing hypoxic and hyperthermic shocks on respiration and intracellular ATP concentration of, biochemical study, 145
Purines, of DNA in individual chromosomes and chromosome segments from *Chironomus tentans*, biochemical and statistical study, 620

R

Rabbit, kidney, paths of transtubular water flow in isolated collecting tubules of, physiological and light and EM study, 562
Radioactive label, adenine-^{14}C, isolation and characterization of low-density structures from orotic acid–induced fatty livers, biochemical and EM study, 625
— label, adenosine triphosphate-^{14}C and uridine-^{3}H-triphosphate, structural and functional properties of polytene nuclei isolated from salivary glands of *Drosophila hydei*, biochemical and cytochemical and radioautographic light and EM study, 450
— label, α-aminoisobutyric acid-^{14}C, antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of tubular gland cells, of chick oviduct, biochemical and immunological and histological study, 816
— label, arginine-^{14}C, flagellar elongation and shortening in *Chlamydomonas*, use of cycloheximide and colchicine to study synthesis and assembly of flagellar proteins, biochemical and radioautographic and EM study, 600
— label, diisopropylfluorophosphate (DFP)-^{32}P and DFP-^{3}H, number of acetylcholinesterase and other DFP-reactive sites at motor endplates, of mouse

striated muscle, biochemical and radioautographic and EM study, 665
Radioactive label, diisopropylfluorophosphate-^{3}H, confirmation of radioautographic measurements of enzymes in mouse striated muscle by liquid-scintillation counting, biochemical study, 686
— label, insulin-^{131}I, in vitro stability of beta granules isolated from islets of Langerhans of rat pancreas, biochemical and EM study, 167
— label, iodoform-^{14}C and iodoform-^{125}I, lesions of liver parenchymal cell in iodoform poisoning of rat, biochemical and histochemical and light and EM study, 736
— label, leucine-^{14}C, glycerol-^{3}H, and orotic acid-^{3}H, heterogeneous distribution of enzymes in submicrosomal membrane fractions of rat liver, biochemical and EM study, 354
— label, leucine-^{14}C, reformation of nucleoli after ethionine-induced fragmentation in absence of significant protein synthesis, in rat liver, biochemical and EM study, 280
— label, leucine-^{3}H, effect of various inhibitors on nuclear protein synthesis in rat liver, biochemical study, 650
— label, leucine-^{3}H, guanidino-arginine-^{14}C, and amino-levulinic acid-^{14}C, turnover of proteins from rat liver peroxisomes, biochemical and immunological study, 536
— label, norepinephrine-^{3}H, distribution of within sympathetic nerve terminals, of mouse, radioautographic EM study, 21
— label, normal horse globulin-^{131}I and immune horse globulin-^{125}I, isolation of plasma membrane fragments from HeLa cells, biochemical and EM study, 378
— label, protein hydrolysate-^{14}C, and orotic acid-^{14}C, membrane-bound ribosomes in kidney, of mouse, methods of estimation and effect of compensatory renal growth, biochemical study, 886
— label, styrene-^{3}H, resolution in electron microscope radioautography, mathematical and EM study, 1
— label, thymidine-^{3}H, effects of acriflavine on mitochondria and kinetoplast of *Crithidia fasciculata*, correlation of fine structure changes with decreased mitochondrial enzyme activity, biochemical and radioautographic and EM study, 547
— label, thymidine-^{3}H, Paneth and goblet cell renewal in mouse duodenal crypts, radioautographic light and EM study, 251
— label, thymidine-^{3}H, stimulation of DNA synthesis and cell division in vitro by serum from cholesterol-fed swine, radioautographic and light and EM study, 641
— label, thymidine-methyl-^{3}H, mitosis and processes of differentiation of myogenic cells, in chick skeletal muscle, in vitro cytological and radioautographic study, 188
— label, uridine-^{14}C, uridine-^{3}H, protein hydrolysate-^{14}C, thymidine-^{14}C, and methyl-^{3}H-methionine, selective interruption of nucleolar RNA synthesis in HeLa cells by cordycepin (3′deoxyadenosine), biochemical study, 510
— label, uridine-^{14}C and uridine-^{3}H, regulation of RNA synthesis and processing in nucleolus of HeLa cell during inhibition of protein synthesis, biochemical study, 177
Radioactive label, uridine-^{3}H, protein hydrolysate-^{3}H, serine-^{3}H, and thymine-methyl-^{3}H, maintenance of imaginal discs of *Drosophila melanogaster* in chemically defined media, biochemical study, 876
Radioautography, electon microscopic, resolution in mathematical and EM study, 1
—, high-resolution, common source of difficulty, inhomogeneity of Ilford L-4 emulsion, standard procedure for preparation of, 918
Rat, brown adipose tissue, unusually high alpha-glycerophosphate dehydrogenase activity in mitochondria of, histochemical and biochemical study, 441
—, cold-exposed, ultrastructural and biochemical changes in brown fat of, biochemical and EM study, 312
—, epithelium of cauda epididymis, multivesicular body and Golgi vesicles of, cytochemical EM study, 269
—, fatty liver induced by orotic acid, isolation and characterization of low-density structures from, biochemical and EM study, 625
—, liver, effect of various inhibitors on nuclear protein synthesis in, biochemical study, 660
—, liver, heterogeneous distribution of enzymes in submicrosomal membrane fractions of, biochemical and EM study, 357
—, liver, isolation and enzymatic characterization of plasma membrane fraction rich in bile canaliculi, biochemical and EM study, 124
—, liver, lesions of membranous cellular components of following iodoform, biochemical and histochemical and light and EM study, 736
—, liver, and maize and onion bulb root tips, lead orthophosphate in nucleoli of, electron and X-ray diffraction and light and EM study, 91
—, liver peroxisomes, fractionation of proteins of, biochemical study, 521
—, liver peroxisomes, turnover of proteins of, biochemical and immunological study, 536
—, liver, reformation of nucleoli of after ethionine-induced fragmentation in absence of significant protein synthesis, biochemical and EM study, 280
—, normal and lead-intoxicated, ultrastructural transformation in mitochondria isolated from kidneys of, biochemical and EM study, 393
—, pancreas, in vitro stability of beta granules isolated from islets of Langerhans of, biochemical and EM study, 167
—, pancreas, isolation of secretory granule fraction from islets of Langerhans of, biochemical and immunological and EM study, 154
—, pancreas, isolation and properties of secretory granules from islets of Langerhans of, ultrastructure of beta granule, EM study, 162
—, parotid gland, dynamic changes in ultrastructure of acinar cell of during secretory cycle, light and EM study, 753
—, skeletal muscle, coordinated development of SR

and T system during postnatal differentiation of, EM study, 855
Rat, uterus, macrophages during postpartum involution of, cytochemical light and EM study, 450
Renal growth, compensatory, effect of on membrane-bound ribosomes in kidney of mouse, biochemical study, 886
Resolution in electron microscope radioautography, mathematical and EM study, 1
Respiration, and intracellular ATP concentration, of *Tetrahymena pyriformis*, effects of division-synchronizing hypoxic and hyperthermic shocks on, biochemical study, 145
Riboflavin deficiency, in mouse, division of hepatic mitochondria during recovery from, biochemical and EM study, 477
Ribosome substructure in intact liver cells, of mouse, EM study, 335
Ribosomes, membrane-bound, in kidney of mouse, methods of estimation and effect of compensatory renal growth, biochemical study, 886
RNA synthesis, in nucleoli of HeLa cells, selective interruption of by cordycepin (3′ deoxyadenosine), biochemical study, 510
— synthesis and processing, regulation of in nucleolus of HeLa cell during inhibition of protein synthesis, biochemical study, 177
Rumen, of sheep, fine structure of mucus granules in epithelium of, EM study, 657

S

Salivary glands, of *Drosophila hydei*, structural and functional properties of polytene nuclei isolated from, biochemical and cytological and radioautographic light and EM study, 591
Sarcotubular system, of rat skeletal muscle, coordinated development of SR and T system of during postnatal differentiation, EM study, 855
Sea urchin, *Arbacia punctulata*, primary mesenchyme, distribution of microtubules in formation and development of, light and EM study, 201
—, *Arbacia punctulata*, primary mesenchyme, role of microtubules in development and maintenance of cell shape of, light and EM study, 227
—, *Colobocentrotus atratus*, *Echinometra mathei*, *Tripneustes gratilla*, *Pseudoboletia indiana*, *Arbacia punctulata*, comparative study of isolation of cortex and role of calcium-insoluble protein in eggs of, biochemical and light and EM study, 133
—, *Strongylocentrotus purpuratus*, analysis of "22S protein" from isolated mitotic apparatus of, immunochemical and light and EM study, 577
Secretory cycle, of rat parotid gland, dynamic changes in ultrastructure of acinar cell during, light and EM study, 753
— granules, from islets of Langerhans of rat pancreas, in vitro stability of isolated beta granule, biochemical and EM study, 167
— granules, from islets of Langerhans of rat pancreas, isolation of, biochemical and immunological and EM study, 154
— granules, from islets of Langerhans, of rat pancreas, isolation and properties of, ultrastructure of beta granule, EM study, 162
Serum, from cholesterol-fed swine, stimulation of DNA synthesis and cell division in vitro by, radioautographic and light and EM study, 641
Sheep, rumen, fine structure of mucus granules in epithelium of, EM study, 657
Shocks, division-synchronizing, hypoxic and hyperthermic, effects of on respiration and intracellular ATP concentration of *Tetrahymena pyriformis*, biochemical study, 145
Sperm cells, of *Pteridium*, flagellar microtubules in, optical diffraction study, 637
Spinal cord, of lungfish *Polypterus enlicheri* and guppy *Poecilia reticulata*, crystalline inclusions in nuclear envelope and granular endoplasmic reticulum of, EM study, 774
Sporangiophores, of *Phycomyces*, intracellular centrifugal separation of organelles in, cytochemical and EM study, 494
Sporophyte, and gametophyte, of *Sphaerocarpos*, wall projections in, EM study, 910
Squid, *Loligo pealii*, filaments in early cleavage furrow formation in telolecithal egg of, EM study, 894
SR, and T system, coordinated development of during postnatal differentiation of rat skeletal muscle, EM study, 855
Swine, cholesterol-fed, stimulation of DNA synthesis and cell division in vitro by serum from, radioautographic and light and EM study, 641

T

Terminals, of sympathetic nerves of mouse, distribution of labeled norepinephrine in, radioautographic EM study, 21
T system, and SR, coordinated development of during postnatal differentiation of rat skeletal muscle, EM study, 855
Tubular gland cells, of chick oviduct, antagonistic effect of progesterone on estrogen-induced proliferation and differentiation of, biochemical and immunological and histological study, 816
Tubules, collecting, isolated from rabbit kidney, paths of transtubular water flow in, physiological and light and EM study, 562

U

Uterus, of mouse, involvement of macrophages in collagen resorption in, light and EM study, 345
—, of rat, macrophages during postpartum involution of, cytochemical light and EM study, 450

V

Vas deferens, of guinea pig, cholinergic component in innervation of longitudinal smooth muscle of, fine structural localization of acetylcholinesterase, cytochemical EM study, 462
Vesicles, associated with calcification in matrix of epiphyseal cartilage, of mouse, electron diffraction and light and EM study, 395
Viscera, of chick, pigeon, mouse, and guinea pig, nexuses in smooth muscle cells of, EM study, 287
Vitamin B_{12}, role of in chloroplast development and

replication in *Euglena gracilis*, biochemical and fluorescent microscopic study, 431

W

Wall formation, in marine chrysophycean alga *Pleurochrysis scherffelii*, relationship of Golgi apparatus to, cinephotomicrographic and light and EM study, 109
Wall projections, in sporophyte and gametophyte of *Sphaerocarpos*, EM study, 910
Water flow, transtubular, paths of in isolated collecting tubules of rabbit kidney, physiological and light and EM study, 562